


Serial No. 09/610,768

Page 2

Official



2.(NOT AMENDED) The method of claim 1, further comprising:

d) sending position data from the wireless device when the call is established.

3.(CANCELLED)

sub 2.1

4.(AMENDED) A method of sending a message stored in memory associated with a wireless device, the wireless device including a microphone, the method comprising the steps of:

- a) initiating a call from the wireless device;
- b) monitoring the microphone for audio signals; and
- c) sending the stored message from the wireless device after a call is established;

and

d) not sending the stored message from the wireless device if audio signals are detected being picked-up by the microphone of the wireless device.

5.(AMENDED) A method of sending a message stored in memory associated with a wireless device, the wireless device including a microphone, the method comprising the steps of:

- a) initiating a call from the wireless device;
- b) monitoring the microphone for audio signals;
- c) sending the stored message from the wireless device after a call is established;

and

d) adding audio signals picked-up by the microphone of the wireless device into the stored message and sending the resultant combined signal.

Serial No. 09/610,768

Page 3

6.(AMENDED) A method of sending a message stored in memory associated with a wireless device, the wireless device including a microphone, the method comprising the steps of:

- Ar
- (c)
- a) initiating a call from the wireless device to a base;
 - b) sending the stored message from the wireless device to the base after a call is established;
 - c) detecting a command received from the base; and
 - d) resending the stored message from the wireless device responsive to detecting the command received from the base.

7.(AMENDED) The method of claim 6, wherein step a) comprises detecting actuation of a speed-dial key and initiating the call from the wireless device in response to detecting actuation of the speed-dial key

8.(AMENDED) The method of claim 5, and further including the step of storing an audio message picked-up from a microphone of the wireless device in a memory associated with the wireless device after initiating the call.

9.(AMENDED) The method of claim 5, further including the step of storing a data message in a memory associated with the wireless device.

10.(UNAMENDED) The method of claim 9, wherein the data message is part of a radio repertoire.

Serial No. 09/610,768

Page 4

Sub
B1

11.(AMENDED) A method of sending a message stored in memory associated with a wireless device, the wireless device including a microphone, the method comprising the steps of:

- a) storing a data message in the memory, the data message including a digital signature; well
- b) initiating a call from the wireless device to a base; and
- c) sending the stored message from the wireless device to the base after a call is established.

12.(AMENDED) A method of sending a message stored in memory associated with a wireless device, the wireless device including a microphone, the method comprising the steps of:

- 43
- a) initiating a call from the wireless device;
 - b) monitoring the microphone for audio signals;
 - c) sending the stored message from the wireless device after a call is established;
- and
- d) terminating sending the stored message when an audio signal is picked-up by a microphone of the wireless device.

13.(AMENDED) The method of claim 1, further including terminating sending the stored message when a key of the wireless device is activated.

14.(AMENDED) A method for sending a message from a wireless device, including a microphone, the method comprising the steps of:

- a) initiating a call from the wireless device;
- b) storing audio detected by the microphone upon initiating the call in a memory associated with the wireless device; and
- c) upon establishing the call, sending the audio that was stored upon initiating the call.

Serial No. 09/610,768

Page 5

15.(NOT AMENDED) The method of claim 14, further comprising:

d) sending position data from the wireless device once the call is established.

sub
B1

16.(AMENDED) The method of claim 14, wherein step c) comprises the step of:

d) sending the stored message if voice signals are not detected via the microphone of the wireless device within a predetermined time after the call is established.

17.(AMENDED) The method of claim 14, wherein step c) comprises the step of:

d) terminating sending the stored message if audio signals are detected via the microphone of the wireless device.

18.(NOT AMENDED) The method of claim 14, wherein step c) comprises the step of:

d) terminating sending the stored message when a key of the wireless device is activated.

19.(NOT AMENDED) The method of claim 14, further comprising:

d) resending the stored message from the wireless device when a command is detected on a downlink channel.

20.(NOT AMENDED) The method of claim 14, wherein step a) comprises the step of:

d) initiating a call from the wireless device by depressing a speed-dial key.

21.(NOT AMENDED) The method of claim 14, wherein step b) comprises the step of:

d) storing the message picked-up from a microphone of the wireless device in a memory associated with the wireless device.

Serial No. 09/610,768

Page 6

22.(NOT AMENDED) The method of claim 14, wherein step b) comprises the step of:

d) if necessary, reallocating the memory to store the message.

Sub
B1

23.(AMENDED) A wireless device comprising:

a keypad;

a transceiver;

a memory, a message stored in the memory; and

a controller programmed to:

a) initiate a call from the wireless device in response to a predetermined key stroke;

b) transmit the stored message through the transceiver to a base when the call is established; and

c) retransmit the stored message through the transceiver when a command is received from a base through the transceiver.

24.(NOT AMENDED) The wireless device of claim 23, further comprising:

a geolocation receiver for determining position data for the device; and

the controller further programmed to:

d) transmit the position data through the transceiver when the call is established.

25.(CANCELLED)

Serial No. 09/610,768

Page 7

Sub
B1

26.(AMENDED) A wireless device comprising:

a keypad;

a transceiver;

a memory, a message stored in the memory; and

a controller programmed to:

- a) initiate a call from the wireless device in response to a key stroke;
- b) initiate a timer when the call is established; and
- c) transmit the stored message through the transceiver after a predetermined time has elapsed on the timer from when the call was established.

27.(AMENDED) A wireless device comprising:

a keypad;

a transceiver;

a memory, a message stored in the memory; and

a controller programmed to:

- a) initiate a call from the wireless device in response to a key stroke;
- b) storing audio picked up by a microphone after initiating the call;
- b) transmit the stored message through the transceiver to a base when the call is established; and
- c) reallocate memory to store the audio picked up by the microphone after initiating the call.

28.(AMENDED) The wireless device of claim 26 wherein the controller is further programmed to:

- d) terminate transmission of the stored message when a voice signal is picked-up by a microphone of the wireless device.